



AERO DOUBLE



Double-Sided Self-Adhesive Tapes

Dvostranski samolepilni trakovi



Double-Sided Self-Adhesive Tapes Dvostranski samolepilni trakovi

AERO DOUBLE 5331

GB

CHARACTERISTICS: tape is UV stable; water acrylic high-tack adhesive on both sides, BOPP transparent substrate

USE: - for bonding of various materials: paper, cardboard, metals, rubber

- for polar and non-polar surfaces
- good anchorage to PU foams and to other types of foam
- good resistance to the content of plasticizers in the surface
- good anchorage to aluminium
- as consumer goods, for furniture industry, gaming and electronic industry

SLO

OPIS IZDELKA: trak je UV obstojen; akrilatno vodno lepilo visokih lepljivosti na obeh straneh, nosilec je BOPP prozorna folija

UPORABA: - za trajno zlepljanje različnih materialov: papir, karton,

lahke kovine, guma

- za polarne in nepolarne površine
- dobro sidranje na PU pene in tudi na ostale kvalitete pen
- dobra obstojnost na vsebnost plastifikatorjev v podlagi
- dobro sidranje na aluminij
- široka potrošnja, pohištvena industrija, industrija zabavne tehnike in elektronike

dimensions dimenzije	rolls/box rol/karton	rolls/pallet rol/paleta	boxes/pallet kartonov/paleta
9 mm × 33 m	198	8910, 10692, 12474	45, 54, 63
9 mm × 200 m	33	1980, 2376	60, 72
15 mm × 33 m	120	5400, 6480, 7560	45, 54, 63
25 mm × 33 m	72	3240, 3888, 4536	45, 54, 63
50 mm × 33 m	36	1620, 1944, 2268	45, 54, 63



AERO DOUBLE 5221

GB

CHARACTERISTICS: excellent adhesion properties, water and moist resistance

USE: for bonding of low energetic materials: PE, PP

SLO

OPIS IZDELKA: odlična lepljivost in odpornost proti vodi in vlagi

UPORABA: za trajno zlepljanje nizkoenergetskih materialov: PE, PP

dimensions dimenzije	rolls/box rol/karton	rolls/pallet rol/paleta	boxes/pallet kartonov/paleta
9 mm × 33 m	198	8910, 10692, 12474	45, 54, 63
9 mm × 200 m	33	1980, 2376	60, 72
12 mm × 33 m	144	6480, 7776, 9072	45, 54, 63
15 mm × 33 m	120	5400, 6480, 7560	45, 54, 63
19 mm × 33 m	96	4320, 5184, 6048	45, 54, 63
25 mm × 33 m	72	3240, 3888, 4536	45, 54, 63
50 mm × 33 m	36	1620, 1944, 2268	45, 54, 63



Other dimensions, colours and substrate thickness on bespoke basis. **Please note!** All the data quoted above are based on our experiences therefore we cannot give guaranty for use under different conditions. We recommend testing of individual tape prior to use. Our tapes are not intended for medical purposes.

Ostale dimenzije, barve in debeline nosilcev so možne po dogovoru in posebnem naročilu. **Pomembno:** Navedeni podatki temeljijo na naših dosedanjih izkušnjah, vendar ne jamčimo za vsakokratno uporabo v različnih pogojih. Priporočamo, da ustreznost samolepilnega traku uporabnik predhodno sam preveri. Naši trakovi niso primerni za medicinske namene.

Double-Sided Self-Adhesive Tapes Dvostranski samolepilni trakovi

AERO DOUBLE 5111

GB

CHARACTERISTICS: excellent adhesion properties, water and moist resistance

USE: - for bonding of various materials: paper, cardboard, light metals, rubber

- as consumer goods, for furniture, for gaming and electronic industry

SLO

OPIS IZDELKA: odlična lepljivost in odpornost proti vodi in vlagi

UPORABA: - za trajno zlepljanje različnih materialov: papir, karton, lahke kovine, guma

- široka potrošnja, pohištvena industrija, industrija zabavne tehnike in elektronike

dimensions dimenzije	rolls/box rol/karton	rolls/pallet rol/paleta	boxes/pallet kartonov/paleta
9 mm × 33 m	198	8910, 10692, 12474	45, 54, 63
9 mm × 200 m	33	1980, 2376	60, 72
12 mm × 33 m	144	6480, 7776, 9072	45, 54, 63
15 mm × 33 m	120	5400, 6480, 7560	45, 54, 63
19 mm × 33 m	96	4320, 5184, 6048	45, 54, 63
25 mm × 33 m	72	3240, 3888, 4536	45, 54, 63
50 mm × 33 m	36	1620, 1944, 2268	45, 54, 63



AERO DOUBLE 5112

GB

CHARACTERISTICS: immediate action

USE: - for bonding of floor coverings (carpets, woven or non-woven materials, PVC floors)

- for bonding other surfaces: wood, glass, cardboard

SLO

OPIS IZDELKA: deluje trenutno

UPORABA: - za polaganje talnih oblog (taftinga, iglastih, strojno tkanih preprog, raznih PVC podov)

- za vezavo drugih površin: lesa, stekla, kartona

dimensions dimenzije	rolls/box rol/karton	rolls/pallet rol/paleta	boxes/pallet kartonov/paleta
50 mm × 5 m	36	1980, 2376, 2772	55, 66, 77
50 mm × 10 m	36	1980, 2376, 2772	55, 66, 77



Other dimensions, colours and substrate thickness on bespoke basis. **Please note!** All the data quoted above are based on our experiences therefore we cannot give guaranty for use under different conditions. We recommend testing of individual tape prior to use. Our tapes are not intended for medical purposes.

Ostale dimenzije, barve in debeline nosilcev so možne po dogovoru in posebnem naročilu. **Pomembno:** Navedeni podatki temeljijo na naših dosedanjih izkušnjah, vendar ne jamčimo za vsakokratno uporabo v različnih pogojih. Priporočamo, da ustreznost samolepilnega traku uporabnik predhodno sam preveri. Naši trakovi niso primerni za medicinske namene.

Double-Sided Self-Adhesive Tapes Dvostranski samolepilni trakovi

AERO DOUBLE 5113

GB

CHARACTERISTICS: high initial adhesion, adhesive without addition of plasticizers

USE: - for fixing floor coverings and plastic carpets
- for applications which demand aggressive adhesive
- for applications to uneven surfaces

SLO

OPIS IZDELKA: zelo visoka začetna lepljivost, lepilo brez dodatka plastifikatorja

UPORABA: - za polaganje talnih oblog in preprog narejenih iz plastike
- za aplikacije, kjer se zahteva agresivno lepilo
- za aplikacijo na nepravilne površine

dimensions dimenzije	rolls/box rol/karton	rolls/pallet rol/paleta	boxes/pallet kartonov/paleta
50 mm × 5 m	36	1980, 2376, 2772	55, 66, 77
50 mm × 10 m	36	1980, 2376, 2772	55, 66, 77



AERO DOUBLE 5336

GB

CHARACTERISTICS: high adhesion, resistance to UV light and ageing process

USE: - applications where higher adhesion is demanded
- adhering of textile labels

SLO

OPIS IZDELKA: visoka lepljivost, odpornost na UV in staranje

UPORABA: - aplikacije, kjer se zahteva povišana lepljivost
- lepljenje tekstilnih etiket

dimensions dimenzije	rolls/box rol/karton	rolls/pallet rol/paleta	boxes/pallet kartonov/paleta
50 mm × 5 m	36	1980, 2376, 2772	55, 66, 77
50 mm × 10 m	36	1980, 2376, 2772	55, 66, 77



Double-Sided Self-Adhesive Tapes Dvostranski samolepilni trakovi

AERO DOUBLE 5332

GB

CHARACTERISTICS: differential Double-Sided Self-Adhesive Tape with water based acrylic adhesive, adhesion properties in the ratio 1 : 2, stronger adhesion of the closed side, BOPP substrate can be transparent or white

USE: - for adhering floor coverings to prevent slipping
- for bonding combined materials (foil - higher adhesion, paper - lower adhesion)

SLO

OPIS IZDELKA: diferenčni dvostranski samolepilni trak z vodnim akrilatnim lepilom, lepilne lastnosti so v razmerju 1:2, zaprta stran lepi močnejše, nosilec BOPP je lahko v prozorni ali beli barvi

UPORABA: - za lepljenje talnih oblog proti zdrsu
- za lepljenje kombiniranih materialov (folija - stran z višjo lepljivostjo, papir - z nižjo lepljivostjo)

dimensions dimenzije	rolls/box rol/karton	rolls/pallet rol/paleta	boxes/pallet kartonov/paleta
50 mm × 5 m	36	1980, 2376, 2772	55, 66, 77
50 mm × 10 m	36	1980, 2376, 2772	55, 66, 77



AERO DOUBLE 5334

GB

CHARACTERISTICS: differential Double-Sided Self-Adhesive Tape, a combination of high tack and deep freeze adhesive (closed side)

USE: - for combined bonding
- for initial bonding at normal temperatures and for final bonding in deep freezing

SLO

OPIS IZDELKA: diferenčni dvostranski samolepilni trak, kombinacija visoke lepljivosti in deep freeze lepila (zaprta stran)

UPORABA: - za kombinirano lepljenje
- za prvo lepljenje pri normalnih temperaturah in končno lepljenje v hladilnicah

dimensions dimenzije	rolls/box rol/karton	rolls/pallet rol/paleta	boxes/pallet kartonov/paleta
50 mm × 5 m	36	1980, 2376, 2772	55, 66, 77
50 mm × 10 m	36	1980, 2376, 2772	55, 66, 77



Double-Sided Self-Adhesive Tapes Dvostranski samolepilni trakovi

AERO DOUBLE 5231

GB

CHARACTERISTICS: Double-Sided Self-Adhesive Tape with a combination of different adhesives: water based acrylic high-tack adhesive and natural rubber based adhesive on transparent BOPP foil substrate

USE: - natural rubber based adhesive is suitable for low energetic materials

- acrylic water based adhesive is intended for polar and non-polar surfaces
- good anchorage to PU foams and to other surfaces
- good resistance to the content of plasticizers in the surface
- good anchorage to aluminium

SLO

OPIS IZDELKA: dvostranski samolepilni trak s kombinacijo tipov lepil: vodno akrilatno lepilo visoke lepljivosti in naravnega kavčuka, nosilec je BOPP prozorna folija

UPORABA: - lepilo na osnovi naravnega kavčuka je primerno za

- nizkoenergetske materiale
- vodno akrilatno lepilo pa je primerno za polarne in nepolarne površine
- dobro sidranje na PU pene in tudi na ostale kvalitete
- dobra obstojnost na vsebnost plastifikatorjev v podlagi
- dobro sidranje na aluminij



dimensions dimenzije	rolls/box rol/karton	rolls/pallet rol/paleta	boxes/pallet kartonov/paleta
50 mm × 5 m	36	1980, 2376, 2772	55, 66, 77
50 mm × 10 m	36	1980, 2376, 2772	55, 66, 77

Double-Sided Self-Adhesive Tapes Dvostranski samolepilni trakovi

AERO DOUBLE 5337 BAG SEALING TAPE

GB

CHARACTERISTICS: differential Double-Sided Self-Adhesive Tape, consisting of 14 mm wide OPP release liner, 7 mm PET substrate which is coated with 5 mm transparent acrylic based adhesive, all centrally positioned

*USE: - for reversible sealing of plastic bags
- for sealing of envelopes*

SLO

OPIS IZDELKA: diferenčni dvostranski samolepilni trak s prozornim akrilatnim lepilom, sestavljen je iz 14 mm zaščitne OPP folije, 7 mm PET nosilca ter 5 mm lepila - vse sredinsko pozicionirano

UPORABA: - za reverzibilno zapiranje plastičnih vrečk
- za zapiranje pisemskih ovojníc

dimensions dimenzije	rolls/box rol/karton
5/7 mm × 10.000 m	1

Characteristics of AERO DOUBLE Self-Adhesive Tapes Lastnosti AERO DOUBLE dvostranskih samolepilnih trakov

product izdelek	substrate nosilec	adhesive lepilo	total thickness skupna debelina (mm)	peel adhesion lepljivost na ploščici N/cm	temperature resistance temperaturna obstojnost °C	short term temperature resistance kratkotrajna temperaturna obstojnost °C	please note pomembno
5331	PP	water based acrylic vodni akrilati	0,086	5	-10 / +100	-20 / +120	excellent adhesion properties on both sides visoka lepljivost po obeh straneh
5221	PP	natural rubber naravni kavčuk	0,143	5	-10 / +80	-20 / +100	
5111	PP	synthetic rubber sintetični kavčuk	0,095	8	-10 / +50	-20 / +65	
5112	cotton web bombažna tkanina	synthetic rubber sintetični kavčuk	0,270	11 - 21	-10 / +50	-20 / +65	
5113	PP	synthetic rubber sintetični kavčuk	0,155	20	-10 / +50	-20 / +65	
5336	PP	water based acrylic vodni akrilati	0,090	10	-10 / +80	-20 / +120	
5332	PP	water based acrylic vodni akrilati	0,100	closed side zaprta stran 4,5 open side odprta stran 3,5	-10 / +100	-20 / +120	differential adhesion: high - low adhesion 1:2 diferenčna lepljivost: visoka - nizka lepljivost v razmerju 1:2
5334	PP	water based acrylic vodni akrilati	0,100	closed side zaprta stran 4,5 open side odprta stran 3,5	-10 / +60	-10 / +100	differential adhesion: high and deep freeze diferenčna lepljivost: visoka in deep freeze
5231	PP	water based acrylic and natural rubber vodni akrilati in naravni kavčuk	0,143	closed side zaprta stran 4,5 open side odprta stran 5	-10 / +80	-20 / +100	differential adhesion for various materials diferenčna lepljivost za različne materiale

Other dimensions, colours and substrate thickness on bespoke basis. **Please note!** All the data quoted above are based on our experiences therefore we cannot give guaranty for use under different conditions. We recommend testing of individual tape prior to use. Our tapes are not intended for medical purposes.
Ostale dimenzije, barve in debeline nosilcev so možne po dogovoru in posebnem naročilu. **Pomembno:** Navedeni podatki temeljijo na naših dosedanjih izkušnjah, vendar ne jamčimo za vsakokratno uporabo v različnih pogojih. Priporočamo, da ustreznost samolepilnega traku uporabnik predhodno sam preveri. Naši trakovi niso primerni za medicinske namene.



AERO, kemična, grafična in papirna industrija, d.d., Ipavčeva ulica 32, SI - 3000 Celje, Slovenija
tel: +386 (0)3 42 35 100, fax: +386 (0)3 42 35 245, e-mail: info@aero.si, www.aero.si